



# Cameo™ Series

For Business on The Go

## Lightweight receipt printers keep your business moving.

Receipt printing is quick and efficient with lightweight, versatile Cameo mobile printers. Weighing as little as one pound, they are light, sleek and durable enough to carry and use anywhere. Easily clipped to a user's belt, Cameo printers simplify in-store customer order processing and payment via optional bi-directional MCRs (magnetic card readers) and smart card readers.

## Wireless Communication

Communicate wirelessly with Cameo printers using a Symbol® terminal and Zebra Portable Radio (ZPR). Bluetooth™ technology and wireless LAN options are also available!

### POINT-OF-TRANSACTION FLEXIBILITY

- Agents with handhelds and Cameo mobile receipt printers can get customers on their way faster at curbside or during in-lot rental car returns.
- Shorter lines mean happier customers. Receipt printers with credit card readers are used for queue busting in retail stores and fast food restaurants.



Connect with it. Count on it.™

## Cameo™ Series



### LEADING EDGE CONNECTIVITY

- Cameo printers support a wide variety of serial and wireless communication options, including Bluetooth technology and IrDA.
- Integrated 802.11 wireless LAN radio (Cameo 3N).

### LIGHTWEIGHT AND LONG-LASTING

- Printers weigh as little as one pound.
- High-performance battery power lasts more than eight hours on a single charge.

### RUGGED DESIGN

- High-impact Texin® plastic housing.
- Withstand drops up to six feet.



### Cameo 2™

The one-pound Cameo 2 is easy to wear and carry anywhere receipt printing is needed. With an optional magnetic card reader (MCR) and/or smart card reader (SCR), you can perform credit card transactions while staying mobile. The Cameo 2 is rugged—withstanding drops of up to six feet with boot—and is ideal for point-of-sale transactions, hospitality receipt printing, and transportation ticket printing.

#### MAXIMUM PRINT AREA

Width: 1.9" / 48.3mm  
Length (with standard memory):  
11" / 280mm

#### RESOLUTION

203dpi / 8dots per mm

#### MAXIMUM PRINT SPEED

3" / 76.2mm per second

#### MEMORY

256K SRAM; 1MB Flash

#### PHYSICAL CHARACTERISTICS

Width: 3.7" / 94mm  
Depth: 2.6" / 66mm  
Height: 6.6" / 167.6mm  
Weight (with battery): 1lbs. / .45kg

#### MEDIA SPECIFICATIONS

Receipt media width:  
1" / 25.4mm to 2.1" / 53.3mm

### Cameo 2SC™ / 2 Plus™

The lightweight, one-pound Cameo 2SC and 2 Plus are Zebra's smallest, low-cost mobile receipt and label printers. The Cameo 2SC offers MCR and/or SCR for customer processing venues. The Cameo 2 Plus—with optional black bar sensor or linerless platen—is ideal for shelf labeling, price marking, product and bin labeling, and gaming/wager ticketing.

#### MAXIMUM PRINT AREA

Width: 1.9" / 48.3mm  
Length (with standard memory):  
11" / 280mm

#### RESOLUTION

203dpi / 8dots per mm

#### MAXIMUM PRINT SPEED

3" / 76.2mm per second

#### MEMORY

256K SRAM; 1MB Flash

#### PHYSICAL CHARACTERISTICS

Width: 3.7" / 94mm  
Depth: 2.6" / 66mm  
Height: 6.6" / 167.6mm  
With MCR: same  
With SCR: add .7" / 17.4mm  
Weight (with battery): 1lbs. / .45kg

#### MEDIA SPECIFICATIONS

Receipt media width:  
1" / 25.4mm to 2.1" / 53.3mm

# Cameo™ Series



## Cameo 3™

The 1.4-pound Cameo 3 may be lightweight, but its rugged design enables it to adapt to the harshest environments and survive drops of up to six feet with boot. This printer is ideal for auto rental point-of-transaction processing, route accounting and package delivery, airline boarding passes, gaming/wager tickets, and parking tickets and violations.

### MAXIMUM PRINT AREA

Width: 2.83" / 71.9mm  
Length (with standard memory):  
10" / 254mm

### RESOLUTION

203dpi/8dots per mm

### MAXIMUM PRINT SPEED

3" / 76.2mm per second

### MEMORY

256K SRAM; 1MB Flash

### PHYSICAL CHARACTERISTICS

Width: 4.6" / 117mm  
Depth: 2.6" / 66mm  
Height: 6.2" / 157.5mm  
Weight (with battery): 1.4lbs. / .64kg

### MEDIA SPECIFICATIONS

Receipt media width:  
1.5" / 38mm to 3.1" / 78.7mm

## Cameo 3SC™ / 3N™

Print customer receipts and tickets on the go with the compact 1.6-pound Cameo 3SC and 1.9-pound Cameo 3N. The Cameo 3SC offers MCR and/or SCR for customer processing venues, and the Cameo 3N with 802.11 wireless LAN is ideal for auto rental point-of-transaction processing, retail sales receipts, airline boarding passes, and gaming/lottery tickets.

### MAXIMUM PRINT AREA

Width: 2.83" / 71.9mm  
Length (with standard memory):  
10" / 254mm

### RESOLUTION

203dpi/8dots per mm

### MAXIMUM PRINT SPEED

3" / 76.2mm per second

### MEMORY

256K SRAM; 1MB Flash

### PHYSICAL CHARACTERISTICS

Width: 4.6" / 117mm  
Depth:  
2.6" / 66mm (3SC)  
3.5" / 89mm (3N)  
Height: 8.2" / 208mm

### MEDIA SPECIFICATIONS

Receipt media width:  
1.6lbs. / .73kg (3SC)  
1.9lbs. / .86kg (3N)

### MEDIA SPECIFICATIONS

Receipt media width:  
1.5" / 38mm to 3.1" / 78.7mm

## Cameo PEP™

Intuitively designed and user-friendly, the 1.85-pound Cameo PEP (Portable Encoding Printer) makes processing transactions in high traffic areas quick and easy. Featuring an integrated magnetic card encoder (MCE), it can process ISO 7811 compliant credit cards, room keys, property passes and transportation tickets. The Cameo PEP is ideal for hotel guest check-in, gaming and casino property management, amusement park ride passes, and entertainment venue access.

### MAXIMUM PRINT AREA

Width: 2.83" / 71.9mm  
Length (with standard memory):  
10" / 254mm

### RESOLUTION

203dpi/8dots per mm

### MAXIMUM PRINT SPEED

3" / 76.2mm per second

### MEMORY

256K SRAM; 1MB Flash

### PHYSICAL CHARACTERISTICS

Width: 5.3" / 135mm  
Depth: 2.6" / 68mm  
Height: 9" / 229mm  
Weight (with battery): 1.85lbs. / .84kg

### MEDIA SPECIFICATIONS

Receipt media width:  
1.5" / 38mm to 3.1" / 78.7mm

### For More Information

Contact your Zebra representative for additional printer specifications. To learn more about innovative mobile printers, call +1 800.423.0882, or visit our Web site [www.zebra.com](http://www.zebra.com).



Avoid long lines and keep customers happy by processing purchases on the spot!

# Cameo™ Series



## Specifications at a Glance\*

### STANDARD FEATURES

Print method: Direct thermal  
High-impact Texin® polycarbonate/polyurethane blended plastic construction  
Smart battery management (monitors battery for longer life and performance)  
1 MB Flash  
Resident scalable fonts  
16 bit external high-performance processor  
Adjustable stock width control for variable media roll sizes  
Paper out sensor  
"Clamshell" design for easy media loading  
Auto-temperature compensation and print contrast control  
External power on/off control from keypad, terminal or printer  
Windows® drivers (3.1, 95, 98, NT v.3.51, NT v.4.0, 2000, CE)

### OPERATING CHARACTERISTICS

#### Environment

Operating Temp. 5°F/-15°C to 122°F/50°C  
Storage Environ. -13°F/-25°C to 158°F/70°C  
Operating Humidity 10-90% non-condensing  
Storage Humidity 10-90% non-condensing

#### Electrical

8 pin RS-232 connector serial port  
1.6 Ah NiMH  
Shock-mounted internal components

### Communication Interface Capabilities

RS-232 connector serial port; configurable baud rate 9,600-115,200, parity, data bits; software (XON/XOFF) or hardware (DTR/DSR) communication handshake protocols; error detection CRC protocol

### Agency Approvals

FCC Class B Part 15; CE compliance

### MEDIA CHARACTERISTICS

#### Labels/Receipts

Max. Roll Size  
2.2" /56mm O.D. on a .75" /19mm I.D. core  
(1.9" /48mm for Cameo 2 Plus)

#### Thickness

3.2mil to 5.0mil

#### Media Types

Continuous receipt (Cameo 2 and 3), black mark (Cameo 2 Plus)  
For optimum print quality and printer performance, use Genuine Zebra supplies.

### FONTS/GRAPHICS/SYMBOLOLOGIES

#### Character Fonts/Sets

25 types, downloadable, scalable fonts

#### Graphic Features

Supports user-defined fonts and graphics—including custom logos

#### Bar Code Symbolologies

Code 39, Code 93, Code 128, NW-7, Codabar, Interleaved 2 of 5, UPC-A, UPC-E, EAN-8, EAN-18, MSI/Plessey, Postnet, UCC/EAN-128  
2-Dimensional: PDF-417, Maxi Code

### OPTIONS AND ACCESSORIES

Zebra Portable Radio (ZPR) for Symbol SPT 1700/1800 & PPT 2700/2800 handheld devices  
Bluetooth connectivity  
802.11 Wireless LAN communication (Cameo 3N)  
Wireless I/R communication  
Environmental case for increased printer protection from harsh environments  
Soft case, shoulder strap, or belt clip  
UCN72 Fast Battery Chargers  
UCN74 Quad Battery Chargers  
Label Vista™ software for receipt and label design and font creation

\*Specifications listed are for base model printers with standard features only unless otherwise noted. Specifications subject to change without notice. All product and brand names are trademarks of their respective companies. All rights reserved.



**HEADQUARTERS** Zebra Technologies International, LLC **PHONE:** +1 847.634.6700 or +1 800.423.0442 **FAX:** +1 847.913.8766  
**ADDRESS:** 333 Corporate Woods Parkway, Vernon Hills, IL 60061-3109 U.S.A. **WEB:** www.zebra.com

**OTHER LOCATIONS** **USA:** California, Florida, Rhode Island, Wisconsin **EUROPE:** Denmark, France, Germany, Italy, United Kingdom  
**ASIA-PACIFIC:** Australia, China, Japan, Singapore, South Korea **LATIN AMERICA:** Argentina, Brazil  
**MIDDLE EAST:** United Arab Emirates



An ISO 9001 registered company  
©2002 ZIH Corp.  
Printed in U.S.A.  
#11230L, Rev.4 (10/02), 10M